



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 775 444 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
28.05.1997 Bulletin 1997/22

(51) Int. Cl.⁶: A23D 9/007, A23L 1/221,
A23L 1/36

(21) Application number: 96202913.8

(22) Date of filing: 18.10.1996

(84) Designated Contracting States:
AT BE CH DE DK ES FI FR GB GR IE IT LI NL PT
SE

(30) Priority: 25.10.1995 EP 95202895

(71) Applicants:
• UNILEVER N.V.
NL-3000 DK Rotterdam (NL)
Designated Contracting States:
BE CH DE DK ES FI FR GR IT LI NL PT SE AT
• UNILEVER PLC
London EC4P 4BQ (GB)
Designated Contracting States:
GB IE

(72) Inventors:
• Van Oosten, Cornelis Willem,
Unilever
3133 AT Vlaardingen (NL)
• Cornelissen, Johannes M.,
Unilever Schmelz AG
6300 Zug (CH)

(74) Representative: Joppe, Hermina L. P. et al
Unilever N.V.
Patent Division
P.O. Box 137
3130 AC Vlaardingen (NL)

(54) Pourable fat compositions

(57) Pourable fat-compositions, provided with high levels (10-45 wt %) of herbs, spices, nuts and/or seeds having a good closed-shelf life are obtained, if the compositions have the following composition:

10-45 wt % herbs, spices, nuts or seeds

0-20 wt % cheese particles

1-10 wt % salt

50-89 wt % of fatblend, comprising

(i) 90-99.8 wt % liquid oil

(ii) 10-0.2 wt % hard fat, that can form crystal network

0.5-5 wt % of flavour-compositions

EP 0 775 444 A1

Description

Fat-compositions that contain herbs and/or spices are known in the prior art (c.q. US 4,572,836). However so far these compositions are only known as pastes, or other non-pourable herbs-dispersions, wherein the fats applied in the paste have high trans-contents: these products contain high levels (>12%) of cooking salt and other inorganic or organic salts for microbiological keepability and taste boosting effect reasons. Therefore no solution existed for a long felt need, i.e. a fat product, that could be handled easily, e.g. by being in a pourable form, which contained high concentrations of herbs, spices, nuts, cheese and/or seeds and low concentrations of the unhealthy trans-fats, while its closed shelf life was at least 6 months.

In EP 21,483 it is disclosed that flavor enhancing materials in the form of ionic salts, such as sodium chloride can be incorporated in liquefiable fats if they are first micronised to a particle size of 1-10 microns. In that instance compositions can be obtained, which are stable for more than 2 hours. Incorporation of a hardstock fat can increase the stability to about 6 months. Examples of hardstock-fats mentioned are fully hydrogenated normally solid fatty triglycerides with an IV <15. These hardstocks can contain fatty acid residues with 12-22 C-atoms.

Examples of hardened oils are given on p.8, 1.3-8, however, this listing does not include hardened rape seed oils.

Although the disclosure of this document is very generic in the definition of the flavor enhancing component, it is also clear from this document that the only flavor enhancing components, that were actually considered, are ionic salts. Therefore this document does not provide directions how to come to pourable fat compositions with very high contents of herbs and/or spices, that would be stable for long periods of time (=having long closed shelf life).

From WO 94/08470 salad dressings are known, wherein the fat phase can contain a hardened rapeseed oil component. The dressing further can contain up to 4 wt% of a herb or spices. Therefore this document does not provide a solution for systems wherein no water-phase is present and that contain high amounts of herbs and/or spices.

We now found a fat-composition that fulfils all above requirements. So our invention concerns a pourable fat-composition, that is ambient-stable, and wherein the fat-composition comprises:

- 10 - 45 wt % of herbs, spices, nuts and/or seeds
- 0 - 20 wt % of cheese particles
- 1 - 10 wt % of an edible salt
- 50 - 89 wt % of a fatblend, comprising:

- (i) 90 - 99.8 wt % of liquid oil
- (ii) 10 - 0.2 wt % of a hard fat component, that has the ability to form a crystal network in the

endproduct, preferably being hardened high erucic rapeseed oil, while the total composition is flavoured by the presence of 0.5 - 5 wt % on total composition of flavour-ingredients.

Above compositions are substantially free of trans fatty acids. In fact the amounts of trans acids are less than 5 wt%, preferably less than 0.5 wt%. (Calculated on total fatty acid content.)

Herbs are defined in The Illustrated Herbal Handbook by J. de Bairacli Levy, Faber and Faber Ltd., London, chapter 3. Spices are defined in "The Book of Spices", Livingstone Publ. Comp. 1969, p. 3.

The amount of herbs and/or spices preferably is 15 - 35 wt %, more preferably 20 - 30 wt %. The amount of nuts and/or seeds is preferably 10-20 wt %, more preferably 12-15 wt %.

The herbs and spices are preferably used as frozen herbs or spices, containing 10 - 95 wt % of water. Preferred herbs are selected from the group, consisting of sage, rosemary, basil, thymian, oregano, dill, parsley, garlic, onion, savory, majoram, dragon, red/green/yellow pepper and mixtures thereof known as Provencal and Italian, while the spices are selected from the group, consisting of black and white pepper, nut meg, mace, curry, curcuma, saffron, clove and mixtures thereof.

The cheese-particles can be selected from any cheese, which can be ground. The particle size of the cheese particles can range from 0.05 to 2 mm, preferably from 0.5 - 1 mm. The amount of cheese-particles that is preferred ranges from 5 - 15 wt %.

The edible salt can be derived from inorganic or organic acids or bases. The most preferred edible salt is NaCl. The preferred amount is 2 - 7 wt %.

The fat phase can contain small amounts of surfactants (up to 2 wt%). Suitable surfactants are e.g. mono/diglycerides-mixtures, but in general any known surfactant can be applied.

The fatblend is present in our compositions in an amount of 50 - 89 wt %, preferably 60 - 85 wt %, more preferably 70 - 80 wt %.

The liquid oil, which is applied in amounts of 90 - 99.8 wt % in these fatblends can be selected from the group, consisting of: sunflower oil, high oleic sunflower oil, safflower oil, high oleic safflower oil, soyabean oil, maize oil, cotton seed oil, arachidic oil, olein-fractions of natural oils, such as palm oil olein, MCT-oils. The oil displays a solid fat content (NMR-pulse, not-stab.) of less than 10 % at 20 ° C. Preferably the amount of liquid oil is 93 - 99, most preferably 95 - 98 wt % in the fatblend.

The hard fat component of these blends must have the ability to form a crystal network in our compositions.

This requirement is essential in order to come to stable compositions, wherein the herbs and/or spices remain dispersed during the shelf life of the compositions.

Examples of suitable fats are hardened rapeseed oil, hardened sunflower seed oil, hardened soybean oil,

hardened palm oil or mixtures thereof. The best results were obtained, by using hard fats, having an I.V. < 10, preferably containing > 40 wt % of C₂₀₊ - saturated fatty acids. A most preferred hard fat is fully hardened, high erucic rapeseed oil (Rp-70).

The pourable character of our compositions is guaranteed when the fatblend of liquid oil and 1-5 wt% hard fat-component has an apparent viscosity at 5 °C of 100-500 m.Pa.s. after storage for 5 days at 5 °C, at a shear of 200 s⁻¹. The apparent viscosity at 20 °C being suitable between 50 and 300 m.Pa.s.

The apparent viscosity is measured with a Physica UM-MC-100 viscometer on a sample of about 20 ml of liquid oil, containing 1-5 wt % of the hard fat-component. The blend is first stored for 5 days at measurement temperature, whereupon it is subjected to a shear of 200 s⁻¹. The viscosity is measured after 2 min. shearing.

The flavour-component can be selected from ethereal oils, natural or nature-identical flavour components. Our compositions can be made by known techniques. Suitable procedures involve the preparation of a premix of liquid oil and hard fat, using two A-units. After mixing of the oil and hard fat at 70-85 °C the mix can be transferred through an A1-unit, using an exit temperature of 0-10 °C and subsequently through an A2-unit, using a lower exit temperature of -8 to 5 °C. The herbs can be added in one badge to the oil or can be added in different badges to the fat mix during different phases of the process.

However we prefer to apply a process, wherein a cooling step is applied on the mixture of herbs and/or spices in the oil, prior to the addition of the hard fat component. In this way a better crystal network of the hard fat component can be established as a result of the addition of the hard fat component at a lower temperature. Therefore our invention also concerns a process for the preparation of our pourable fat-compositions, according to which process,

- (i) herbs, spices, nuts and/or seeds are mixed with part of the liquid oil, which optionally is preheated
- (ii) the mix, resulting of (i) is optionally heated at 70 - 85 °C for 2 - 10 min.
- (iii) the mix, resulting from (i) or the heated mix, resulting from (ii) is cooled to a temperature of maximum 25 °C
- (iv) the rest of the liquid oil is mixed with the hard-fat component at a temperature below 30 °C
- (v) the products from (iii) and (iv) are mixed under the addition of the edible salt resulting in the product according to claims 1 - 9.

The herbs are preferably applied as deepfrozen products.

The spices are applied as freeze-dried or dry, finely ground products as normally used in the kitchen area. It was found, that the best ambient-stability was obtained, if in step (ii) the mix obtained in step (i) is heated to 70 - 85 °C for 2 - 10 min, preferably 4 - 8 min.

The mixing according to step (iv) can be performed by any conventional mixing technique. However it was found that the best dispersions were obtained if this mixing was performed in a votator (= scraped surface heat-exchanger).

EXAMPLES

1. 280 g. of sunflower oil was heated to 80 °C. 100 g. of deepfrozen (- 20 °C) basil were added to this mix. The temperature was maintained at 75 °C for 5 min. by heating.

The mixture obtained is cooled, while stirred, to 12 °C in about 10 min.

A mixture of 120 g. fat (composition: 92% sunflower oil and 8% hardened rapeseed oil m.pt. 70 °C) and 8 g. of Basil etheric oil (ex Tastemaker, art. no. KT 0117) as flavour ingredients and 24 g. NaCl were added to the mixture at 12 °C. An additional stirring during 10 min. was performed.

The product was collected.

2. The procedure of example 1 was repeated, however applying hardened sunflower oil m.pt. 69 °C instead of hardened rapeseed oil m.pt. 70 °C. The amount of hardened sunflower oil was 4 wt% on total oil.

Above fat was applied for the preparation of compositions containing 44 wt% Dille or 44 wt% of a Provencal mix (= a mix of Marjoram herbs, Thyme herbs, Basil herbs, Rosemary herbs and Garlic paste in wt-ratio: 12.5: 2.5: 3.5: 2.5: 4.0).

The products obtained had acceptable properties, but were somewhat viscous and wither.

3. The procedure of example 2 was repeated, however using hardened rapeseed oil m.pt. 70 °C instead of hardened sunflower oil in an amount of 3 wt% on total oil.

The products obtained were not viscous and wither, so the products performed better than the products of example 2.

4. The procedure of example 3 was repeated, however applying a fat consisting of 25 wt% olive oil and 75 wt% sunflower oil.

The hardened rapeseed was used in an amount of 2.5 wt%. Dille was applied as herb.

The product obtained displayed excellent properties.

Claims

1. Pourable fat-composition, that is ambient-stable, wherein the fat-composition comprises:

- 10 - 45 wt % of herbs, spices, nuts and/or seeds
- 0 - 20 wt % of cheese particles

1 - 10 wt % of an edible salt

50 - 89 wt % of a fatblend, comprising:

- (i) 90 - 99.8 wt % of liquid oil
- (ii) 10 - 0.2 wt % of a hard fat component, that has the ability to form a crystal network in the endproduct, preferably being hardened high erucic rapeseed oil,

while the total-composition is flavoured by the presence of 0.5 - 5 wt % on total composition of flavour-ingredients.

2. Pourable fat-composition according to claim 1, wherein the herbs and/or spices are frozen fresh herbs and/or spices, containing 10 - 95 wt % of water.
3. Pourable fat-composition according to claims 1 or 2, wherein the herbs are selected from the group, consisting of sage, rosemary, basil, thymian, oregano, dill, parsley, garlic, onion, savory, majoram, dragon, red/green/yellow pepper and mixtures thereof known as Provencal and Italian, while the spices are selected from the group, consisting of black and white pepper, nut meg, mace, curry, curcuma, saffron, clove and mixtures thereof.
4. Pourable fat-composition, according to claim 3, wherein the salt is NaCl.
5. Pourable fat-composition, according to claim 1, wherein the liquid oil is selected from the group, consisting of: sunflower oil, high oleic sunflower oil, safflower oil, high oleic safflower oil, soyabean oil, maize oil, cotton seed oil, arachidic oil, olein-fractions of natural oils, such as palm oil olein, MCT-oils.
6. Pourable fat-composition according to claim 5, wherein the oil displays a solid fat-content (NMR-pulse; not-stab.) of less than 10 % at 20 °C.
7. Pourable fat-composition according to claims 1 - 6, wherein the hard fat has an iodine value of less than 10 and contains preferably more than 40 wt % of C₂₀₊-saturated fatty acids.
8. Pourable fat-composition according to claims 1 - 7, wherein the fatblend of liq. oil and 1-5 wt % hard fat-component has an apparent viscosity at 5 °C of 100-500 m.Pa.s. after storage for 5 days at 5 °C, or at 20 °C of 50-300 m.Pa.s. after storage for 5 days at 20 °C, both at a shear of 200 s⁻¹.
9. Pourable fat-composition according to claim 1, wherein the flavour-component is selected from etherical oils, natural or nature-identical flavour components.

10. Process for preparing a pourable fat-composition according to claim 1-9, wherein:

- (i) herbs and/or spices are mixed with part of the liquid oil, which optionally is preheated
- (ii) the mix, resulting of (i) is optionally heated at 70 - 85 °C for 2 - 10 min.
- (iii) the mix, resulting from (i) or the heated mix, resulting from (ii) is cooled to a temperature of maximum 25 °C
- (iv) the rest of the liquid oil is mixed with the hard-fat component at a temperature below 30 °C
- (v) the products from (iii) and (iv) are mixed under the addition of the edible salt resulting in the product according to claims 1 - 9.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 20 2913

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
D,X	EP 0 021 483 A (PROCTER & GAMBLE) * page 3, line 29 - line 37 * * page 9, line 10 - line 30 * * page 10, line 33 - page 11, line 1 * * claims 1-3,8,10 *	1,4,5,10	A23D9/007 A23L1/221 A23L1/36
Y	* page 7, line 25 - page 8, line 24 * * claim 5 *	6-8	
D,Y	WO 94 08470 A (UNILEVER PLC ;UNILEVER NV (NL); HEERINGA AUKE JAN (NL); FOURNIER P) * page 3, line 4 - line 15 * * page 5, line 28 - line 34 *	6-8	
Y	EP 0 351 122 A (BUNGE EDIBLE OIL CORP) * page 3, line 10 - line 54 * * page 4, line 37 - line 41 * * claims 1-6 *	1,5-8,10	
Y	PATENT ABSTRACTS OF JAPAN vol. 010, no. 203 (C-360), 16 July 1986 & JP 61 047165 A (TAIYO YUSHI KK), 7 March 1986, * abstract *	1,5-8,10	
A	EP 0 536 976 A (BUNGE FOODS CORP) * page 3, line 16 - line 43 * * page 4, line 8 - line 11 * * claims 1,6,7,13-15 *	1,5-8,10	
D,A	US 4 572 836 A (BAKAL ABRAHAM I) * the whole document *	1,5,6	
A	US 3 071 475 A (EDALENE STOHR) * the whole document *	1-6	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 12 March 1997	Examiner Dekeirel, M
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1501 03.92 (P04C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 20 2913

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
A	EP 0 396 810 A (SEFFERT UTE) * column 1, line 42 - column 2, line 38 * * examples 2,4 * * claims 1,4-7 *	1-6	
A	DE 19 04 658 A (CHASSAGNE, MICHELINE) * the whole document *	1	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
The present search report has been drawn up for all claims			
Place of search	Date of completion of the search	Examiner	
THE HAGUE	12 March 1997	Dekeirel, M	
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 (03.92) (PNC01)